



LIPI MARKETING PVT. LTD.

Follow Us at
f Instagram G+ Twitter YouTube

KENJET

KN - USF 1016

FLATBED PRINTER



MAIN FEATURES

- ▶ Japanese Imported Heads
- ▶ CMYK White and Varnish Optional for Glossy and High Quality Printing
- ▶ Upgraded Negative Pressure System to Ensure High Accuracy 0.01kp Difference for High Quality Printing Performance
- ▶ Vacuum bed to Hold the Flexible Media Like PVC, Foam Board, Acrylic Sheet etc...
- ▶ Applications in Advertising & Signage Industry and Decoration Industry
- ▶ Can Print on Glass, Metal Ceramic Tiles, PVC, Acrylic, Leather, Plastic, Wood, etc...

PRINTING SAMPLE




MAIN PARTS


1. Japanese Imported Print Head



4. Sectional Vacuum Suction Platform



2. HIWIN Mute Liner Guide Rail




5. UV LED Lamp



3. High Mute Drag Chain



6. High Precision Aluminum Beam



7. Rotary Printing
Optional

Print Head & Colour Option



Toshiba

C M Y K W V 6 Head

C M Y K W W 6 Head

C M Y K W W V V 8 Head

Ricoh

C M Y K W V 6 Head

C M Y K W W V V 8 Head

Epson

C M Y K W V 3 Head

KN - USF IO16

TECHNICAL PARAMETER

Print Head	Toshiba - CE4	Ricoh - GH2220	Epson - XP600
No. of Head	6/ 8 Head	6/ 8 Head	3 Head
Print Speed	5sqm/hr	3sqm/hr	5sqm/hr
2	8sqm/hr	4sqm/hr	8sqm/hr
3	2.5sqm/hr	2sqm/hr	2.5sqm/hr
Printhead Technology	Drop-on Demand Piezo Electric		
Printhead Control	Printhead Voltage is Software Adjustable		
Ink Characteristics	UV Curing Ink		
Ink Reservoirs	Refillable on the Fly while Printing / 1000ml per Colour		
Colour Control	ICC based Colour, Curves and Density Adjustment		
Working Table	Vacuum Sucking		
Max. Printing Size	1000mm x 1600mm		
Print Interface	USB 2.0		
Media Thickness	0 - 100mm		
Print Resolution	360dpi, 720dpi, 1440dpi, 2160dpi		
File Format	TIFF,JPEG,Postscript,EPS,PDF etc...		
RIP Software	Photoprint		
Power Supply	220V 50/60Hz(10%)		
Power	1100W		
Operation Environment	Temperature: 200to 300C; Humidity: 40% to 60%		
Machine Dimension	2380 x 2100 x 1230mm		
Packing Dimension	2600 x 2250 x 1500mm		
Weight	500kg		



LIPi MARKETING PVT. LTD

No: 28, 3rd Cross St, Venkateswara Colony, Nehru Nagar, Kottivakkam, Chennai - 600041

☎ +91 94443 95477 / +91 94443 95467 ✉ sales@lipimarketing.com 🌐 www.lipimarketing.com