



LIPi MARKETING PVT. LTD


Follow Us at
f @ G+ t v




UV Roll - Roll Printer

KG - UR3200 PLUS


Head Configuration



4 Industrial Head



5 Industrial Head



6 Industrial Head



Color Setup



LIPi MARKETING PVT. LTD

No: 28, 3rd Cross St, Venkateswara Colony, Nehru Nagar,
OMR Kottivakkam, Chennai - 600041

+9194443 95477 / +91 94443 95467 ✉ sales@lipimarketing.com

Features

- High-Efficiency UV LED Technology
- Environmentally Friendly UV Ink meets International Environment Standards
- Industrial Grade Structure, Easy to Operate, High Stability
- Upgraded Dual Guide Rails Ensure more Stable Printing
- The Media System with Torque motor and Air-Shaft makes more Stable Rolling Media
- Equipped Soft film Tension System offers Suitable Pressure for Various Media

With LED UV Curing Technology KG-UR3200plus is one of the most competitive UV Roll to Printer which Characterizes with Excellent Quality, High Stability and Easy Operation KG-UR3200Plus Sensible to make High Quality Design in the most cost-effective way

6 Gen5 Print Head Arrangement (CMYK)


Front Light	600 x 600dpi	67m ² /h
Front Light	600 x 900dpi	45m ² /h
Backlit	600 x 900dpi	33m ² /h
Backlit	600 x 1200dpi	28.6m ² /h

6 Gen6 Print Head Arrangement (CMYK)

Front Light	600 x 600dpi	87m ² /h
Front Light	600 x 900dpi	58m ² /h
Backlit	600 x 900dpi	43m ² /h
Backlit	600 x 1200dpi	37m ² /h

Maximum 6 Ricoh Gen5 Print Heads

Three Lines Heads in Staggered Layout makes the Highest Productivity and Various application with Optional CMYK, W+CMYK, CMYK+W, CMYK+W+CMYK (Three Layer) and W+CMYK+V (Three Layer) Color modes



Varnish is above color,
Color is above white



Varnish is above color



Color is above white


More Stable Upgraded Media Feeding System

New Designs Including Adjustable Air-Driven Pinch Roller System, Upgraded Media Roller Surface and feed Motor Control System Ensure Stability of media feeding




New Soft Film Feeding System

Air-Driven Moisture System, Pinch Roller and Soft Film Feeding System



Application



Wide Application in Light box, Soft Flimx 3P Fabric, Scraping Fabric, Vinyl, Light Flim, Wallpaper, Wall Fabric, Canvas, Silk Fabric, Leather and etc....

Technical Parameter

Model		KG - UR3200 PLUS		
Print Head		4 to 6 Industrial Head (Optional)		
Print Resolution		300dpi, 600dpi, 900dpi, 1200dpi		
Acceptable Media	Width	210-3250mm		
	Thickness	Maximum 0.039mil (1mm)		
	Diameter	Heavy-duty Media Feeding System has no limit for roll Diameter of media Economic Media Feeding System is Suitable for roll media diameter less than 210mm		
	Weight	80kg		
Printing Width		210-3200mm		
Ink	Type	LED UV Ink		
	Capacity	Continuous Ink Supply System		
	Color	CMYK + W+GL	CMYK, CMYK+W, CMYK+W+CMYK	CMYK
Ink Curing Unit		Dual UV LED Lamps		
Printing Resolution		Maximum 1200dpi		
Interface		USB 2.0		
Power Supply		AC 220V \pm 5%, 16A, 50Hz \pm 1		
Dimension (with Stand)		5410 x 1200 x 1570mm (W x D x H)		
Weight (with Stand)		1200kg		
Package Dimensions		5530 x 1245 x 1870mm		
Package Weight		2000kg		
Environment	Power On	Temperature: 15°C to 32°C / Humidity: 35 to 80% (No Condensation)		
	Power Off	Temperature: 5°C to 40°C / Humidity: 25 to 80% (No Condensation)		



LPI MARKETING PVT. LTD

No: 28, 3rd Cross St, Venkateswara Colony, Nehru Nagar, OMR Kottivakkam, Chennai - 600041

+9194443 95467 / +91 94443 95477

sales@lipimarketing.com www.lipimarketing.com